

# SAFETY DATA SHEET

crlaurence.com

Printing date 09/24/2015

Reviewed on 09/24/2015

## 1 Identification

· Product identifier

· Catalog number: UV604L10, UV604L1K, UV604L25, UV604L30

· Trade name: <u>8H13-201 V</u>

· Article number: 8H13-201 V

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Adhesives

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

C. R. Laurence Co., Inc. 2503 E. Vernon Ave.

Los Angeles, CA 90058-1826 Phone: +1-800-421-6144

· Emergency telephone number:

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CONTACT CHEMTREC (800) 424-9300. FOR EMERGENCY CALLS ORIGINATING OUTSIDE THE UNITED STATES (202) 483-7616.

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements:

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms: GHS05, GHS07
- · Signal word: Danger
- · Hazard-determining components of labeling:

methacrylic acid, monoester with propane-1,2-diol

acrylic acid

Isobornylacrylat

tert-butyl perbenzoate

· Hazard statements:

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

Precautionary statements:

Avoid breathing mist/vapours/spray.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

(Contd. on page 2)

Page 1 of 8



(Contd. of page 1)

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Adhesive

· Dangerous	components:	
27813-02-1	methacrylic acid, monoester with propane-1,2-diol	25-50%
	🔱 Eye Irrit. 2A, H319; Skin Sens. 1, H317	
5888-33-5	Isobornylacrylat	10-25%
	🔱 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	acrylic acid	1-5%
	♠ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335	
7473-98-5	2-hydroxy-2-methylpropiophenone	1-5%
	1) Acute Tox. 4, H302	
614-45-9	tert-butyl perbenzoate	
	Org. Perox. CD, H242;  Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	

#### · Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

*Immediately wash with water and soap and rinse thoroughly.* 

*If skin irritation continues, consult a doctor.* 

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 $CO^2$ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters:
- · Protective equipment: Do not inhale explosion gases or combustion gases.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective clothing.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling:

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities:
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 10

(Contd. on page 4)



(Contd. of page 3)

· Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

# 79-10-7 acrylic acid

REL Long-term value: 6 mg/m³, 2 ppm

Skin

TLV Long-term value: 5.9 mg/m³, 2 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Not necessary if room is well-ventilated.

*Use suitable respiratory protective device in case of insufficient ventilation.* 

#### Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles.

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Characteristic
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 5)

- US



		(Contd. of page
Boiling point/Boiling range:	Undetermined.	
Flash point:	> 100°C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20°C:	1.1 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	0.0 %	
VOC content:	0.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that	t are relevant for classification:
27813-02-	1 methacry	ylic acid, monoester with propane-1,2-diol
Oral	LD50 *	> 2000 mg/kg (rat)
Dermal	LD50 *	> 5000 mg/kg (rabbit)
5888-33-5	Isobornyl	acrylat
Oral	LD50	4350 mg/kg (rat) (see ECHA data)

(Contd. on page 6)

-US



Trade name: 8H13-201 V

		(Contd. of page 5)
Dermal	LD50 *	> 3000 mg/kg (rabbit) (see ECHA data)
79-10-7	acrylic acid	
Oral	LD50	250 mg/kg (rat)
Dermal	LD50	280 mg/kg (rabbit)
Inhalati	ve LC50/4 h	3.6 mg/l (rat)
7473-98	-5 2-hydroxy	-2-methylpropiophenone
Oral	LD50	1694 mg/kg (rat)
Dermal	LD50	6929 mg/kg (rat) (OECD-Richtlinie 402)
614-45-	9 tert-butyl p	erbenzoate
Oral	LD50	1012 mg/kg (rat)
- D -		

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

*Irritant* 

# 12 Ecological information

· Toxicity

· Aquatic toxicity:	
27813-02-1 methac	crylic acid, monoester with propane-1,2-diol
EC50/48h	380 mg/l (daphnia)
7473-98-5 2-hydro:	xy-2-methylpropiophenone
EC50/48h* (static)	> 119 mg/l (daphnia) (OECD Richtlinie 202, Teil 1)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

(Contd. on page 7)

US ·



Trade name: 8H13-201 V

(Contd. of page 6)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Void
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
Transport/Additional information:	
ADR Remarks:	No hazardous material as defined by the prescriptions.
MDG Remarks:	No hazardous material as defined by the prescriptions.
IATA Remarks:	No hazardous material as defined by the prescriptions.
UN "Model Regulation":	Void

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- GHS label elements:

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS05, GHS07
- · Signal word: Danger
- · Hazard-determining components of labeling:

methacrylic acid, monoester with propane-1,2-diol

acrylic acid

Isobornylacrylat

tert-butyl perbenzoate

· Hazard statements:

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements:

Avoid breathing mist/vapours/spray.

Wear protective gloves.

Wear eye protection / face protection.

(Contd. on page 8)



Printing date 09/24/2015

Reviewed on 09/24/2015

Trade name: 8H13-201 V

(Contd. of page 7)

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Frau Dr. Jutta Lörzer
- · Date of preparation / last revision 09/24/2015 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Org. Perox. CD: Organic Peroxides, Types C, D

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* \* Data compared to the previous version altered.

HS